
Certified Specialist Programme in Trauma-Informed Expressive Arts Therapy

Working With Children And Adolescents

Attachment Theory – a framework describing the emotional bond that forms between a child and primary caregiver and its influence on later relational patterns.

Related terms: secure attachment, insecure attachment, attachment styles.

Explanation: In trauma-informed expressive arts therapy, understanding a child's attachment style helps the therapist select appropriate artistic mediums (e.g., drawing safe spaces for securely attached children, or using movement to explore disorganized attachment).

Practical application: A therapist observes a child's reluctance to make eye contact during a clay-modeling activity; the therapist offers a comforting tactile object to foster a sense of safety before proceeding.

Challenges: Misinterpreting attachment cues can lead to interventions that feel intrusive; cultural variations in caregiving may affect the therapist's assumptions.

Adverse Childhood Experiences (ACEs) – a cumulative index of potentially traumatic events occurring before age 18, such as abuse, neglect, and household dysfunction.

Related terms: trauma exposure, risk factors, resilience.

Explanation: High ACE scores correlate with increased emotional dysregulation, which expressive arts can address by providing non-verbal outlets for processing.

Practical application: After completing an ACE questionnaire, a therapist designs a "story-board" activity where the child creates a visual narrative of strengths rather than deficits.

Challenges: Discussing ACEs may retraumatize; therapists must balance assessment with immediate safety and consent.

Art Therapy – the clinical use of visual art making to explore feelings, resolve conflicts, and improve self-esteem.

Related terms: creative arts therapy, visual expression, process art.

Explanation: In the context of children and adolescents, art therapy offers a developmentally appropriate medium for externalizing internal experiences that may be difficult to verbalize.

Practical application: A group of pre-teens uses watercolor washes to depict "calm places," fostering peer support and collective coping strategies.

Challenges: Limited art supplies, varying skill levels, and the need to avoid pathologizing artistic choices.

Assertive Communication – a communication style that expresses thoughts, feelings, and needs directly while respecting others.

Related terms: active listening, boundary setting, conflict resolution.

Explanation: Teaching assertive communication through role-play and improvisation empowers youths to articulate trauma-related boundaries.

Practical application: Adolescents rehearse "I feel..." statements in a drama circle, receiving feedback on tone and body language.

Challenges: Cultural norms that prioritize harmony over self-advocacy may inhibit participation; therapists

must adapt language accordingly.

Body-Based Interventions – therapeutic techniques that engage the somatic system, such as movement, dance, or breath work.

Related terms: somatic experiencing, sensorimotor processing, kinesthetic learning.

Explanation: Trauma often resides in the body; body-based interventions help children reconnect with physical sensations in a regulated manner.

Practical application: A therapist leads a “grounding dance” where children step in rhythm to a low-tempo drum, noticing the feeling of their feet on the floor.

Challenges: Children with hyperarousal may find movement overwhelming; pacing and individualized pacing are essential.

Child-Centred Play – an approach that places the child’s interests, choices, and spontaneity at the core of therapeutic play.

Related terms: play therapy, child-led sessions, therapeutic playroom.

Explanation: By honoring the child’s agency, therapists create a safe space for trauma expression without imposing adult narratives.

Practical application: During a sand-tray session, a child selects figurines that represent family members, allowing the therapist to observe relational dynamics.

Challenges: Balancing child autonomy with therapeutic goals; some children may avoid topics of trauma by selecting overly neutral play items.

Co-Creation – collaborative artistic process where therapist and client jointly generate a piece of work.

Related terms: shared artwork, collaborative mural, joint improvisation.

Explanation: Co-creation models healthy relational dynamics and provides a tangible symbol of partnership, which can be especially reparative for children who have experienced relational betrayal.

Practical application: An adolescent and therapist paint a large canvas together, each adding layers that represent personal growth milestones.

Challenges: Power differentials may surface; therapist must consciously relinquish control while maintaining safety.

Creative Resilience – the capacity to adapt and thrive through creative expression after adversity.

Related terms: post-traumatic growth, artistic coping, strengths-based approach.

Explanation: Expressive arts nurture resilience by allowing children to transform painful memories into symbolic, manageable forms.

Practical application: A child creates a “hope jar” where each painted stone represents a personal strength discovered during therapy.

Challenges: Overemphasis on positivity can invalidate ongoing distress; therapists must honor both struggle and growth.

Critical Incident Technique – a qualitative method for gathering detailed accounts of significant events, often used in research or evaluation.

Related terms: narrative inquiry, case study, reflective practice.

Explanation: In trauma-informed settings, this technique helps capture moments when expressive arts

facilitated breakthrough or safety.

Practical application: After a music improvisation, a therapist asks the adolescent to describe a moment of emotional shift, documenting sensory details and meanings.

Challenges: Re-triggering trauma during recollection; practitioners must gauge readiness and provide grounding support.

Dialectical Behavior Therapy (DBT) Skills – therapeutic strategies that combine acceptance and change, including mindfulness, distress tolerance, emotion regulation, and interpersonal effectiveness.

Related terms: skill-building, emotion coaching, crisis management.

Explanation: DBT concepts can be woven into expressive arts activities to teach adolescents self-regulation in a concrete, embodied way.

Practical application: A group uses rhythmic drumming to practice “mindful listening,” focusing on the sound’s rise and fall without judgment.

Challenges: Adolescents may find DBT terminology abstract; integrating skills into artistic metaphors requires careful scaffolding.

Developmental Appropriateness – matching therapeutic interventions to the cognitive, emotional, and motor capacities of a child’s age group.

Related terms: age-specific techniques, developmental milestones, neurodevelopment.

Explanation: Selecting art materials, language, and activity length that align with a child’s stage ensures engagement and reduces frustration.

Practical application: For preschoolers, the therapist uses large-format crayons and simple collage tasks; for older adolescents, complex mixed-media installations are introduced.

Challenges: Within-age variability; some children may display advanced abilities while others need more concrete support.

Emotion Regulation – the ability to monitor, evaluate, and modify emotional responses to achieve adaptive outcomes.

Related terms: affect modulation, coping strategies, self-soothing.

Explanation: Expressive arts provide sensory channels for children to practice regulating intense affect without relying solely on verbal articulation.

Practical application: A therapist guides a child through “color-temperature” painting, encouraging shifts from hot reds (anger) to cool blues (calm).

Challenges: Children with severe dysregulation may need brief grounding before artistic work; pacing is critical.

Enactive Learning – learning through direct action and bodily engagement rather than passive observation.

Related terms: experiential learning, kinesthetic cognition, embodied cognition.

Explanation: Trauma-informed expressive arts harness enactive learning by allowing children to “feel” concepts through movement, sound, and texture.

Practical application: Adolescents construct a “stress sculpture” using clay, physically molding tension and then smoothing it to embody release.

Challenges: Some children may have sensory sensitivities; modifications such as using softer materials are

necessary.

Family Systems Theory – a perspective that views the family as an interconnected emotional unit where each member influences and is influenced by others.

Related terms: systemic therapy, relational patterns, triangulation.

Explanation: Incorporating family dynamics into expressive arts sessions helps address intergenerational trauma and supports systemic healing.

Practical application: A family collaborates on a large mural, each contributing symbols that represent their role; the therapist facilitates discussion of emerging patterns.

Challenges: Family conflict may arise during creative expression; therapist must mediate while maintaining a safe artistic environment.

Grounding Techniques – strategies that anchor a person in the present moment, often using sensory cues to reduce dissociation.

Related terms: safety planning, mindfulness, body scan.

Explanation: Before or after intense expressive arts work, grounding helps children stay regulated and prevents overwhelm.

Practical application: A therapist asks a child to name five objects in the room, then to press their palms together, noticing temperature and texture.

Challenges: Over-reliance on grounding can interrupt therapeutic flow; timing must be balanced with artistic immersion.

Guided Imagery – a therapeutic process that uses mental visualization to evoke sensory experiences and promote relaxation or insight.

Related terms: visualization, mental rehearsal, narrative therapy.

Explanation: In expressive arts, guided imagery can inspire artistic creation by providing vivid internal scenes for translation onto canvas or into movement.

Practical application: Children listen to a short narrative about a “peace garden” and then draw the garden using colors that feel soothing.

Challenges: Imagery may trigger traumatic memories; therapist must monitor affect and offer alternatives.

Hybrid Modality – the integration of multiple therapeutic approaches (e.g., art, music, drama) within a single session or program.

Related terms: interdisciplinary practice, multimodal therapy, integrative framework.

Explanation: Trauma-informed expressive arts often blend modalities to meet diverse needs and preferences of children and adolescents.

Practical application: A session begins with a drum circle (music), transitions to body movement (dance), and concludes with collaborative collage (visual art).

Challenges: Ensuring coherence across modalities; therapist proficiency in each modality is essential.

Identity Development – the process by which children and adolescents form a sense of self, including values, roles, and personal narrative.

Related terms: self-concept, Erikson’s stages, narrative identity.

Explanation: Expressive arts provide a canvas for exploring and affirming emerging identities, especially

after trauma disrupts self-coherence.

Practical application: Adolescents create “self-portrait collages” using magazine cut-outs that reflect their aspirations, cultural heritage, and strengths.

Challenges: Identity exploration may surface painful loss or stigma; therapist must provide validation and containment.

Image-Based Metaphor – a visual symbol that represents an abstract concept or internal state, used to facilitate discussion.

Related terms: symbolic representation, visual metaphor, projective technique.

Explanation: Metaphors enable children to communicate complex emotions non-verbally, bridging the gap between feeling and language.

Practical application: A child draws a storm cloud to symbolize anxiety; the therapist explores the cloud’s shape, color, and movement.

Challenges: Misinterpretation of metaphor; therapist must ask open-ended questions rather than impose meaning.

Informed Consent for Minors – the ethical and legal process of obtaining permission from a child’s legal guardian and, when appropriate, assent from the child themselves.

Related terms: assent, parental permission, confidentiality limits.

Explanation: In trauma-focused expressive arts, clear communication about the nature of artistic activities, potential emotional triggers, and data handling is essential.

Practical application: The therapist provides a simplified consent form outlining the use of paint and music, and discusses it with the adolescent in age-appropriate language.

Challenges: Guardians may have differing views on expressive arts; therapists must negotiate while prioritizing the child’s welfare.

Integrative Assessment – a comprehensive evaluation that combines standardized measures, narrative interviews, and artistic observations.

Related terms: multimethod assessment, psychometric tools, observational coding.

Explanation: For children and adolescents, an integrative approach captures both quantitative trauma symptoms and qualitative creative expression.

Practical application: The therapist administers the Child PTSD Symptom Scale, then observes the child’s choice of colors during a free-draw task to triangulate findings.

Challenges: Time constraints; ensuring that assessment does not interfere with therapeutic rapport.

Intergenerational Trauma – the transmission of trauma effects across generations, often through family narratives, behaviors, and epigenetic mechanisms.

Related terms: historical trauma, family legacy, cultural wounds.

Explanation: Expressive arts can surface hidden family stories, allowing younger members to process inherited pain while fostering collective healing.

Practical application: A group creates a family “story quilt” where each participant adds a fabric square representing a family memory, followed by a discussion of shared themes.

Challenges: Resistance from families who fear re-opening old wounds; therapist must balance curiosity with

respect for boundaries.

Joint Improvisation – a spontaneous, collaborative creation of movement, sound, or visual forms without a predetermined script.

Related terms: improvisational theater, free-form dance, spontaneous composition.

Explanation: Joint improvisation builds trust, attunement, and co-regulation skills, vital for children who have experienced relational trauma.

Practical application: Two adolescents mirror each other's gestures in a "mirror game," gradually adding rhythmic claps to synchronize their bodies.

Challenges: Social anxiety may inhibit participation; therapist may need to scaffold with simple prompts.

Kinesthetic Learning – learning that occurs through bodily movement and tactile experiences.

Related terms: motor learning, sensory integration, embodied education.

Explanation: Many children with trauma histories benefit from kinesthetic approaches because they engage the body's natural regulation systems.

Practical application: A therapist uses a "movement map" where children step onto colored floor tiles representing emotions, then physically "travel" through feelings.

Challenges: Over-stimulation for sensory-sensitive children; careful modulation of intensity is required.

Language Development – the progression of skills related to speaking, listening, reading, and writing.

Related terms: communicative competence, expressive language, receptive language.

Explanation: Trauma can impede language acquisition; expressive arts provide alternative channels for communication that can support linguistic growth.

Practical application: Children compose short poems using rhyme, then illustrate them, reinforcing both verbal and visual language skills.

Challenges: Children with limited verbal abilities may need additional time for artistic expression before language emerges.

Learning Styles – preferred ways individuals process information, often categorized as visual, auditory, kinesthetic, or multimodal.

Related terms: multiple intelligences, differentiated instruction, neurodiversity.

Explanation: Tailoring expressive arts activities to a child's dominant learning style enhances engagement and therapeutic efficacy.

Practical application: For an auditory learner, the therapist incorporates storytelling with sound-making instruments; for a visual learner, the focus is on painting and collage.

Challenges: Rigid categorization may overlook fluid preferences; flexibility is essential.

Mindful Art – a practice that combines mindfulness (present-moment awareness) with artistic creation.

Related terms: meditative drawing, contemplative practice, breath-synchronized painting.

Explanation: Mindful art helps children slow down, notice internal sensations, and develop self-compassion, which counteracts trauma-related hyperarousal.

Practical application: A child is instructed to inhale while pulling a brush upward and exhale while lowering it, synchronizing breath with stroke.

Challenges: Younger children may find sustained attention difficult; sessions can be shortened and repeated.

Multicultural Sensitivity – awareness and respect for cultural differences that influence how trauma is expressed and healed.

Related terms: cultural competence, cultural humility, diversity awareness.

Explanation: Expressive arts must be adapted to honor cultural symbols, artistic traditions, and family values, ensuring relevance and safety.

Practical application: In a community with a strong oral storytelling tradition, the therapist integrates narrative drumming, allowing children to accompany stories with rhythm.

Challenges: Risk of cultural appropriation; therapists should collaborate with community cultural brokers.

Non-Verbal Communication – the conveyance of meaning through gestures, facial expressions, posture, and artistic media rather than spoken language.

Related terms: body language, visual symbolism, affective cues.

Explanation: Trauma often disrupts verbal articulation; non-verbal channels become primary routes for expressing distress and hope.

Practical application: A therapist observes a child's hesitation to use bright colors, interpreting avoidance of intensity, and gently introduces pastel hues as a transitional step.

Challenges: Misreading non-verbal signals; therapist must verify interpretations through gentle inquiry.

Observational Coding – systematic recording of behavioral or artistic indicators during therapy sessions for research or clinical monitoring.

Related terms: behavioral metrics, session analysis, fidelity assessment.

Explanation: Coding can track changes in affect, engagement, and symbolic content over time, providing objective data on therapeutic progress.

Practical application: An assistant notes the frequency of "tight-grip" pencil strokes across sessions, correlating it with self-report stress levels.

Challenges: Intrusiveness; coding should not distract from the therapeutic relationship.

Playful Exploration – the use of curiosity-driven, low-stakes activities that encourage experimentation without fear of judgment.

Related terms: inquiry play, discovery learning, free play.

Explanation: Trauma may cause children to become overly cautious; playful exploration reintroduces a sense of safety and agency.

Practical application: Children are given a "mystery box" of assorted textures and invited to create a soundscape using only those items.

Challenges: Some children may perceive play as frivolous; therapist must link play to therapeutic intent.

Protective Factors – conditions or attributes that buffer individuals against the negative effects of trauma.

Related terms: resilience factors, buffering variables, strengths.

Explanation: Identifying and strengthening protective factors (e.g., supportive relationships, self-efficacy) through expressive arts enhances long-term wellbeing.

Practical application: Adolescents create "strength shields" using cardboard and markers, each segment representing a protective factor they possess.

Challenges: Overemphasis on strengths may neglect ongoing needs; balanced perspective is required.

Psychodynamic Perspective – an approach focusing on unconscious processes, early relationships, and internal conflicts.

Related terms: transference, defense mechanisms, symbolic expression.

Explanation: In expressive arts, psychodynamic concepts help interpret recurring motifs, color choices, and narrative arcs as reflections of internal dynamics.

Practical application: A therapist notices a child repeatedly drawing water scenes and explores feelings of being “washed away” in relation to early loss.

Challenges: Requires careful handling to avoid pathologizing artistic choices; therapist must maintain a collaborative stance.

Reflective Practice – the ongoing process of critically examining one’s own therapeutic actions, decisions, and emotional responses.

Related terms: supervision, self-evaluation, professional development.

Explanation: For trauma-informed expressive arts, reflective practice ensures ethical fidelity, cultural humility, and continuous skill refinement.

Practical example: After a session where a teenager displayed intense anger during a drum circle, the therapist journals about personal triggers and consults with a supervisor.

Challenges: Time constraints; therapists must allocate regular periods for reflection.

Resilience-Focused Intervention – therapeutic strategies that prioritize building coping skills, optimism, and adaptive behaviors rather than solely reducing symptoms.

Related terms: strengths-based therapy, empowerment, positive psychology.

Explanation: Expressive arts naturally lend themselves to resilience work by highlighting creative problem-solving and personal agency.

Practical application: Children participate in a “future-self” mural, painting aspirations and then identifying steps to achieve them.

Challenges: Balancing resilience work with validation of current pain; both are essential.

Safety Planning – a collaborative process that identifies warning signs, coping strategies, and emergency contacts for moments of crisis.

Related terms: crisis intervention, risk assessment, protective network.

Explanation: Before engaging in emotionally charged expressive arts, therapists co-create safety plans with children and caregivers to ensure immediate support if distress escalates.

Practical application: An adolescent selects a calming song to listen to if a music improvisation triggers overwhelming sadness, and the therapist records the choice in the session notes.

Challenges: Children may forget or dismiss the plan; frequent review reinforces its relevance.

Scaffolding – providing temporary support structures that enable a learner to accomplish tasks beyond current ability, gradually withdrawn as competence grows.

Related terms: zone of proximal development, guided participation, incremental learning.

Explanation: In expressive arts, scaffolding might involve modeling a brushstroke, then inviting the child to replicate or modify it.

Practical application: The therapist demonstrates a simple collage technique, then assists the child in adding

personal elements, fading assistance as confidence builds.

Challenges: Over-scaffolding can limit autonomy; therapist must monitor for signs of dependence.

Self-Expression – the act of conveying internal thoughts, feelings, and identity through various mediums.

Related terms: personal narrative, artistic voice, authenticity.

Explanation: Trauma often silences self-expression; expressive arts re-opens channels for children to voice experiences in symbolic form.

Practical application: An adolescent writes and performs a short spoken-word piece accompanied by a self-made drum, sharing it with a supportive peer group.

Challenges: Fear of judgment; therapist must cultivate a non-evaluative atmosphere.

Social-Emotional Learning (SEL) – the process of developing skills for recognizing and managing emotions, setting goals, showing empathy, maintaining relationships, and making responsible decisions.

Related terms: emotional intelligence, peer interaction, collaborative problem-solving.

Explanation: Expressive arts activities can embed SEL objectives, such as using group mural work to practice cooperation and empathy.

Practical application: Children create a “community garden” mural where each plant represents a classmate’s strength, fostering mutual appreciation.

Challenges: SEL curricula may clash with cultural norms; therapists should adapt language and expectations.

Somatic Regulation – the capacity to maintain physiological balance through body-based strategies, reducing stress and trauma activation.

Related terms: autonomic nervous system, heart-rate variability, body awareness.

Explanation: Incorporating breath, posture, and movement into expressive arts supports somatic regulation, especially for children who have limited verbal coping tools.

Practical application: After a high-energy dance improvisation, the therapist guides participants through a slow “folding” exercise, encouraging awareness of bodily sensations.

Challenges: Some children may experience dissociation; grounding precedes somatic work.

Storytelling Therapy – therapeutic use of narrative construction to organize experiences, assign meaning, and foster coherence.

Related terms: narrative therapy, myth-making, plot development.

Explanation: Trauma disrupts narrative continuity; expressive arts enable children to rebuild stories using visual, auditory, or kinetic media.

Practical application: A child creates a comic strip depicting a “hero’s journey” that mirrors their own healing process.

Challenges: Narrative gaps may be filled with avoidance; therapist must gently explore omissions.

Symbolic Play – play that uses symbols (objects, actions, or gestures) to represent deeper emotional states or experiences.

Related terms: symbolic representation, play symbolism, metaphorical play.

Explanation: Symbolic play allows children to process trauma indirectly, reducing the intensity of direct disclosure.

Practical application: A child uses a stuffed animal to act out a “storm” that represents a recent conflict at

home.

Challenges: Misinterpretation of symbols; therapist must ask open questions rather than assign fixed meanings.

Therapeutic Alliance – the collaborative, trust-based relationship between therapist and client that facilitates treatment progress.

Related terms: rapport, working relationship, bond.

Explanation: In trauma-informed expressive arts, a strong alliance is built through shared creative experiences, mutual respect, and consistent safety cues.

Practical example: The therapist consistently greets each child with a personalized “art-signature” handshake, reinforcing predictability.

Challenges: Alliance can be strained by cultural mistrust or previous negative therapeutic experiences; ongoing transparency is key.

Trauma Narrative – a coherent, chronological account of traumatic events that integrates emotional and sensory details.

Related terms: exposure therapy, processing, narrative integration.

Explanation: Expressive arts can support the creation of trauma narratives by providing alternative expressive channels (e.g., music, collage) before verbal articulation.

Practical application: Adolescents compose a “song of the story,” arranging verses that correspond to key moments, then later discuss the lyrical content.

Challenges: Risk of retraumatization; pacing and client readiness must guide narrative work.

Trauma-Focused Cognitive-Behavioral Therapy (TF-CBT) – an evidence-based modality that combines cognitive restructuring with exposure techniques for trauma.

Related terms: psychoeducation, coping skills, trauma processing.

Explanation: TF-CBT principles can be blended with expressive arts, such as using art to visualize cognitive distortions before challenging them.

Practical application: A child draws “thought bubbles” that contain negative self-talk, then replaces the images with empowering statements during a guided art session.

Challenges: Cognitive tasks may be abstract for younger children; therapist must adapt language and use concrete visual aids.

Transcultural Adaptation – modifying therapeutic interventions to align with the cultural values, beliefs, and practices of diverse client groups.

Related terms: cultural tailoring, localization, cultural adaptation.

Explanation: Expressive arts materials (e.g., colors, symbols) should be selected with cultural relevance in mind to avoid misinterpretation or offense.

Practical application: In a community where red signifies luck, a therapist uses red ribbons to symbolize hope rather than danger.

Challenges: Limited cultural knowledge can lead to inadvertent bias; ongoing consultation with cultural experts is essential.

Trauma-Informed Care (TIC) – an organizational framework that recognizes the prevalence of trauma,

emphasizes safety, empowerment, and collaborative decision-making.

Related terms: universal precautions, vicarious trauma, trauma sensitivity.

Explanation: All expressive arts sessions for children should embed TIC principles, ensuring environments are predictable, choices are offered, and triggers are minimized.

Practical application: The therapy room contains soft lighting, a quiet "corner," and clear visual schedules to reduce uncertainty.

Challenges: Institutional constraints may limit environmental modifications; therapists must advocate for necessary changes.

Trigger Identification – the process of recognizing internal or external cues that precipitate trauma-related distress.

Related terms: cue exposure, warning signs, affective triggers.

Explanation: Knowing triggers enables therapists to prepare coping strategies and adjust artistic activities accordingly.

Practical application: A child identifies that the sound of a specific drum pattern evokes memories of an abusive event; the therapist replaces that pattern with a gentler rhythm.

Challenges: Triggers can be subtle or unconscious; systematic exploration is required.

Vicarious Resilience – the positive impact on therapists or caregivers who witness the healing and growth of clients.

Related terms: secondary gain, compassion satisfaction, professional thriving.

Explanation: Observing children's artistic breakthroughs can bolster therapist motivation and counterbalance burnout.

Practical application: A therapist reflects on a group's "hope mural" during supervision, noting personal uplift and renewed commitment.

Challenges: Over-identification with client progress may blur professional boundaries; supervision helps maintain perspective.

Visual Metaphor – an image that stands in for an abstract concept, used to facilitate discussion and insight.

Related terms: symbolic drawing, pictorial representation, metaphorical art.

Explanation: Visual metaphors allow children to communicate complex feelings (e.g., "my anger is a volcano") without language barriers.

Practical application: A child paints a cracked vase to symbolize feeling broken; the therapist explores the meaning of "cracks" and "repair."

Challenges: Therapist must avoid imposing personal interpretations; collaborative meaning-making is essential.

Winnicott's Transitional Object – an object that helps a child move from dependence to independence, serving as a bridge between inner and outer reality.

Related terms: holding environment, object relations, symbolic play.

Explanation: In expressive arts, transitional objects can be incorporated into creative tasks to provide comfort and facilitate exploration.

Practical application: A child brings a favorite stuffed bear to a clay-modeling session, using the bear as a

model for shaping protective figures.

Challenges: The object may become a fixation; therapist gently encourages the child to expand symbolic use beyond the object.

Zero-Tolerance Policy (Safety) – an explicit statement that any form of abuse, harassment, or unsafe behavior will not be tolerated within the therapeutic setting.

Related terms: safeguarding, risk management, protective policy.

Explanation: Clear policies protect children, reinforce trust, and align with trauma-informed standards.

Practical application: The therapy center displays a poster outlining reporting procedures and assures families that any concerns will be promptly addressed.

Challenges: Over-emphasis on rules can create a rigid atmosphere; balance firmness with warmth.